

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	8	("5802106", "6018516", "6038216", "6046980", "6115357", "6205120", "6285658", "6412000").pn.	USPAT	OR	OFF	2005/01/18 14:36
S2	1	"20030061263"	US-PGPUB; USPAT	OR	OFF	2005/01/19 09:21
S4	52	(709/226.ccls. or 718/104.ccls.) and (creat\$3 or allocat\$3 or dispos\$3 or reclaim\$4 or de\$1allocat\$3) near3 partition	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 15:11
S5	38	(709/226.ccls. or 718/104.ccls.) and (creat\$3 or allocat\$3 or dispos\$3 or reclaim\$4 or de\$1allocat\$3) near3 partition and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 13:43
S6	2	(709/226.ccls. or 718/104.ccls.) and (dynamic\$4 with (((creat\$3 or allocat\$3) and (dispos\$3 or reclaim\$4 or de\$1allocat\$3)) near3 resource)) and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 13:49
S8	66	(709/226.ccls. or 718/104.ccls.) and (dynamic\$4 with ((creat\$3 or allocat\$3 or dispos\$3 or reclaim\$4 or de\$1allocat\$3) with (resource or bandwidth))) same (user or request) and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 09:34
S9	1	(709/226.ccls. or 718/104.ccls.) and (dynamic\$4 with ((creat\$3 or allocat\$3 or dispos\$3 or reclaim\$4 or de\$1allocat\$3) with (resource or bandwidth))) same ((detect\$3 or acknowledg\$3 or recogniz\$3 or discover\$3) with (user or request)) and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 15:39

## EAST Search History

S14	10	(709/226.ccls. or 718/104.ccls.) and (dynamic\$4 with ((creat\$3 or allocat\$3 or dispos\$3 or reclaim\$4 or de\$1allocat\$3) with (resource or bandwith))) and (traffic with class) and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 08:30
S15	4	(709/226.ccls. or 718/104.ccls.) and (dynamic\$4 with ((creat\$3 or allocat\$3 or assign\$3 or designat\$3 or delegat\$4 or dispos\$3 or reclaim\$4 or de\$1allocat\$3) with (resource or bandwith or partition))) and (traffic adj class\$2) and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 12:41
S16	5	(class\$1based adj weighted) and (committed adj access adj rate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 09:24
S17	43	(709/226.ccls. or 718/104.ccls.) and (dynamic\$4 with ((creat\$3 or allocat\$3) with (resource or bandwith))) and (dispos\$3 or reclaim\$4 or de\$1allocat\$3) and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 09:39
S20	66	(709/226.ccls. or 718/104.ccls.) and (dynamic\$4 with ((creat\$3 or allocat\$3 or dispos\$3 or reclaim\$4 or de\$1allocat\$3) with (resource or bandwith))) same (user or request) and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 12:44

## EAST Search History

S22	41	(709/226.ccls. or 718/104.ccls.) and (dynamic\$4 with ((creat\$3 or allocat\$3 or assign\$3 or designat\$3 or delegat\$4) with (resource or bandwith or partition))) and (dispos\$3 or reclaim\$4 or de\$1allocat\$3 or free\$3 or releas\$3) and (new\$2 adj3 (user or request)) and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 13:43
S24	21	S22 not S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 13:44
S25	41	(709/226.ccls. or 718/104.ccls.) and (dynamic\$4 with ((creat\$3 or allocat\$3 or assign\$3 or designat\$3 or delegat\$4) with (resource or bandwith or partition))) and ((dispos\$3 or reclaim\$4 or de\$1allocat\$3 or free\$3 or releas\$3) with (need\$2 or necessary or in\$1active)) and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 16:24
S26	31	(709/226.ccls. or 718/104.ccls.) and (dynamic\$4 with ((creat\$3 or allocat\$3 or assign\$3 or designat\$3 or delegat\$4) with (resource or bandwith or partition))) and ((dispos\$3 or reclaim\$4 or de\$1allocat\$3 or free\$3 or releas\$3) near3 (need\$2 or necessary or in\$1active or requir\$2)) and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 16:42

## EAST Search History

S27	36	(709/226.ccls. or 718/104.ccls.) and (dynamic\$4 with ((creat\$3 or allocat\$3 or assign\$3 or designat\$3 or delegat\$4) with (resource or bandwith or partition))) and ((dispos\$3 or reclaim\$4 or de\$1allocat\$3 or free\$3 or releas\$3 or delet\$3) near3 (need\$2 or necessary or in\$1active or requir\$2)) and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 17:07
S29	37	(709/226.ccls. or 718/104.ccls.) and (dynamic\$4 with ((creat\$3 or allocat\$3 or assign\$3 or designat\$3 or delegat\$4) with (resource or bandwith or partition))) and ((dispos\$3 or reclaim\$4 or de\$1allocat\$3 or free\$3 or releas\$3 or delet\$3) near3 (need\$2 or necessary or in\$1active or requir\$2 or lru or (least adj recently adj used))) and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 08:54
S30	5	(709/226.ccls. or 718/104.ccls.) and ((dispos\$3 or reclaim\$4 or de\$1allocat\$3 or free\$3 or releas\$3 or delet\$3) near3 (lru or (least adj recently adj used))) and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 07:59
S37	31	(709/226.ccls. or 718/104.ccls.) and ((limit\$3 or cap or capping) near3 number near3 user) and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 16:46
S39	33	(709/226.ccls. or 718/104.ccls.) and ((limit\$3 or cap or capping) near3 (resource or bandwidth) near3 user) and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 16:47

## EAST Search History

S40	4	(709/226.ccls. or 718/104.ccls.) and (dynamic or automatically) same ((limit\$3 or cap or capping) near3 (resource or bandwidth) near3 (user or client or requester)) and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 16:52
S43	16	(709/226.ccls. or 718/104.ccls.) and (dynamic or automatically) same partition\$3 with (user or client or requester) and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 10:57
S44	241	(resource or bandwidth) near2 (partition\$3 or reservation) near4 (user or client or requester) and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 17:18
S49	6	(resource or bandwidth) near2 (partition\$3 or reservation) near4 (per or each or individual or given) near (user or client or request?r) and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:36
S50	6	(resource or bandwidth) near2 (partition\$3 or reservation) near4 (per or each or individual or given or particular) near (user or client or request?r) and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/29 17:30
S51	71	(bandwidth) near2 (partition\$3 or reservation) near4 (user or client or request?r) and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 08:57
S54	10	(bandwidth) near3 (partition\$3 or reserv\$5 or limit\$5 or cap\$4) near5 (per or for or each) near5 (user or client or request?r) and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 09:38

## EAST Search History

S64	35	(709/226.ccls. or 718/104.ccls.) and (identif\$7 recogniz\$5 detect\$3) near3 (new\$2) near3 (user or client or request?r) and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 14:22
S65	43	("6154776").URPN.	USPAT	OR	OFF	2005/11/22 08:58
S66	4	("5674003"   "5884301"   "5966531"   "5987306").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/22 14:12
S67	5	(709/226.ccls. or 718/104.ccls.) and (dynamic or automatically) same partition\$3 with (hierarchy or (parent child)) and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 13:18
S70	24	("709"/\$.ccls. or 718/104.ccls.) and dynamic with resource with partition\$3 and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 12:30
S71	0	dynamic with resource with partition\$3 with user with (within contain\$3) and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 14:27
S72	2	dynamic with partition\$3 with user with (within contain\$3) and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 12:30
S73	9	dynamic with (partition\$3 pool\$3) with user with (within contain\$3) and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 13:30
S74	14	mib same resource with allocat\$3 and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 15:07

## EAST Search History

S75	35	dynamic\$4 with (partition\$3 pool\$3) with resource with (user customer request?r) and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 14:55
S76	87	mib and resource with dynamic\$4 with allocat\$3 and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 13:36
S77	159	dynamic\$4 with (partition\$3 pool\$3) with (within contain\$3) and resource and (user customer request?r) and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 14:57
S78	14	dynamic\$4 with (partition\$3 pool\$3) with (within contain\$3) with (user customer request?r) and resource and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 15:51
S79	0	mib same dynamic\$4 with resource with allocat\$3 and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 15:07
S80	37	(709/223-226.ccls. or 718/104. ccls.) and mib with dynamic\$4 and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 15:18
S81	20	(709/223-226.ccls. or 718/104. ccls.) and mib with dynamic\$4 and hierarch\$4 and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/07 15:19
S82	471	dynamic\$4 with (partition\$3 pool\$3) with (within contain\$3) with (partition\$3 pool\$3) and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 15:51

## EAST Search History

S83	34	(709/223-226.ccls. or 718/104. ccls.) and dynamic\$4 with (partition\$3 pool\$3) with (within contain\$3) with (partition\$3 pool\$3) and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 16:13
S84	15	(709/223-226.ccls. or 718/104. ccls.) and (partition\$3 pool\$3) with object with hierarch\$4 and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 16:13
S85	4	(709/223-226.ccls. or 718/104. ccls.) and (partition\$3 pool\$3) near object with hierarch\$4 and ((@ad<"20010926") or (@prad<"20010926") or (@rlad<"20010926"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 16:13